

Introduction to Repetition Structures





Announcements





The while Loop

- In order for a loop to stop executing, something has to happen inside the loop to make the condition false
- **Iteration**: one execution of the body of a loop
- while loop is known as a pretest loop
 - Tests condition before performing an iteration
 - Will never execute if condition is false to start with
 - Requires performing some steps prior to the loop

A Common Use of a Loop







<pre>def main():</pre>	a calculates sales commissions. a variable to control the loop. g = 'y'
while keep # Get sales	<pre>te a series of commissions. o_going == 'y': a salesperson's sales and commission rate. = float(input('Enter the amount of sales: ')) rate = float(input('Enter the commission rate: '))</pre>
	culate the commission. ssion = sales * comm_rate
	<pre>play the commission. ('The commission is \$', \ format(commission, ',.2f'), sep='')</pre>
	<pre>if the user wants to do another one. going = input('Do you want to calculate another ' + \</pre>
<pre># Call the ma: main()</pre>	in function.
	11



Trace that Code

For the following input, what is the value of temp? 4 6 2 1 0 5 -1

```
def main():
    input1 = int(input("Please enter an integer: "))
    temp = 0
    while(input1 > 0):
        temp += input1
        input1 = int(input("Please enter another integer: "))
    print("Temp: ", temp)
```

13

15

main()

Trace that Code

For the following input, what is the value of temp? 4 3 8 1 -1

```
def main():
    input1 = int(input("Please enter an integer: "))
    temp = 0
    while(input1 > 0):
        if(input1 > 3):
            temp += 1
        input1 = int(input("Please enter another integer: "))
print("Temp: ", temp)
main()
```

Calling Functions in a Loop

- Functions can be called from statements in the body of a loop
 - Often improves the design
 - Example:
 - Write a function to calculate then display the commission for a sales amount
 - Call the function inside a loop

Figure 5-4 Flowcharts for the main and show_commission functions



18



Class Exercise

Using our postage function from Wednesday, write a program that takes as input the weight (in ounces) of a package and calculates the required postage amount to mail it. Allow the user to continue to calculate postage for as long as they'd like.

Assume the total postage is calculated as follows: — A flat rate of \$.90 plus \$.20 for every ounce over 1

Loop Practice

Write a while loop that

- asks the user for 2 names
- compares the names
- outputs the name that comes first alphabetically.
- asks the user if they want to do it again at the end of the loop.
- keeps the loop going until the user replies 'no'.