COMP 141

Reading/Writing from/to Files



Announcements

- Solutions to selected problems from Friday's lab are in the Box.com directory (LoopLab.py)
- Reminder:
 - Program 5 due tomorrow

Writing to a File

- For a program to retain data between the times it is run, you must save the data
 - Data is saved to a file, typically on computer disk
 - Saved data can be retrieved and used at a later time
- "Writing data to": saving data on a file
- Output file: a file that data is written to

Reading From a File

- "Reading data from": process of retrieving data from a file
- Input file: a file from which data is read
- Three steps when a program uses a file
 - Open the file
 - Process the file
 - Close the file

Types of Files and File Access Methods

- In general, two types of files
 - <u>Text file</u>: contains data that has been encoded as text
 - Binary file: contains data that has not been converted to text
- Two ways to access data stored in file
 - Sequential access: file read sequentially from beginning to end, can't skip ahead
 - Direct access: can jump directly to any piece of data in the file

Filenames and File Objects

- <u>Filename extensions</u>: short sequences of characters that appear at the end of a filename preceded by a period
 - Extension indicates type of data stored in the file
- <u>File object</u>: object associated with a specific file
 - Provides a way for a program to work with the file: file object referenced by a variable

6

Opening a File

- open function: used to open a file
 - Creates a file object and associates it with a file on the disk
 - General format:

file object = open(filename, mode)

- <u>Mode</u>: string specifying how the file will be opened
 - Example: reading only ('r'), writing ('w'), and appending ('a')

Specifying the Location of a File

- If open function receives a filename that does not contain a path, assumes that file is in same directory as program
- If program is running and file is created, it is created in the same directory as the program
 - Can specify alternative path and file name in the open function argument
 - Prefix the path string literal with the letter r


Writing Data to a File

- Method: a function that belongs to an object
 - Performs operations using that object
- File object's write method used to write data to the file
 - Format: file variable.write(string)
- File should be closed using file object close method
 - Format: file_variable.close()

Writing Data to a File Program 7-1 (file_write.py) philosophers.txt - ... File Edit Format View Help # This program writes three lines of data John Locke David Hume Edmund Burke # to a file. def main(): # Open a file named philosophers.txt. outfile = open('philosophers.txt', 'w') # Write the names of three philosphers # to the file.
outfile.write('John Locke\n') outfile.write('David Hume\n' outfile.write('Edmund Burke\n') # Close the file. outfile.close() # Call the main function.

Reading Data From a File

- <u>read method</u>: file object method that reads entire file contents into memory
 - Only works if file has been opened for reading
 - Contents returned as a string
- <u>readline method</u>: file object method that reads a line from the file
 - Line returned as a string, including '\n'
- <u>Read position</u>: marks the location of the next item to be read from a file



Reading Data From a File # This program reads the contents of the # philosophers.txt file one line at a time. def main(): # Open a file named philosophers.txt. infile = open('philosophers.txt', 'r') # Read three lines from the file line1 = infile.readline() line2 = infile.readline() line3 = infile.readline() # Close the file. infile.close() # Print the data that was read into # memory. print(line1) print(line2) **Program Output** print(line3) # Call the main function. David Hume main() Edmund Burke

Concatenating a Newline to and Stripping it From a String

- In most cases, data items written to a file are values referenced by variables
 - Usually necessary to concatenate a ' \n' to data before writing it
 - Carried out using the + operator in the argument of the write method
- In many cases need to remove '\n' from string after it is read from a file
 - rstrip method: string method that strips specific characters from end of the string

14

\$ Stripping Newline from a String # This program reads the contents of the # philosophers.cxt file one line at a time. def main(): # Open a file named philosophers.txt. infile = open('philosophers.txt', 'r') # Read three lines from the file line1 = infile.readline() line2 = infile.readline() line3 = infile.readline() line3 = infile.readline() # Strip the \n from each string. line1 = line1.rstrip('\n') line2 = line2.rstrip('\n') line3 = line3.rstrip('\n') # Close the file. infile.close() # Print the data that was read into # memory. print(line1) print(line2) print(line3) # Call the main function. main() Program Output John Locke David Rume Edmund Burke 15

```
Writing Data to a File

Program 7.1 (file_write.py)

1  # This program writes three lines of data
2  # to a file.
3  def main():
4  # Open a file named philosophers.txt.
5  outfile = open('philosophers.txt', 'w')

6  # Write the names of three philosphers
6  # Write the names of three philosphers
9  outfile.write('John Locke\n')
10  outfile.write('John Locke\n')
11  outfile.write('Bdmund Burke\n')
12
13  # Close the file.
14  outfile.close()
15  # call the main function.
17 main()
```

Appending Data to an Existing File

- When open file with 'w' mode, if the file already exists it is overwritten
- To append data to a file use the 'a' mode
 - If file exists, it is not erased, and if it does not exist it is created
 - Data is written to the file at the end of the current contents

Writing and Reading Numeric Data

- Numbers must be converted to strings before they are written to a file
- str function: converts value to string
- · Number are read from a text file as strings
 - Must be converted to numeric type in order to perform mathematical operations
 - Use int and float functions to convert string to numeric value

18

Reading Numbers from a File

```
# This program demonstrates how numbers that are
# read from a file must be converted from strings
# before they are used in a math operation.

def main():
    # Open a file for reading.
    infile = open('numbers.txt', 'r')

    # Read three numbers from the file.
    num1 = int(infile.readline())
    num2 = int(infile.readline())
    num3 = int(infile.readline())

    * Close the file.
    infile.close()

# Add the three numbers.
    total = num1 + num2 + num3
# Display the numbers and their total.
    print('The numbers are:', num1, num2, num3)
    print('Their total is:', total)
# Call the main function.
main()
```

Writing Numbers to a File

```
# This program demonstrates how numbers
# must be converted to strings before they
# are written to a text file.

def main():
# Open a file for writing.
    outfile = open('numbers.txt', 'w')

# Get three numbers from the user.
    numl = int(input('Enter a number: '))
    num2 = int(input('Enter a nother number: '))
    num3 = int(input('Enter another number: '))

# Write the numbers to the file.
    outfile.write(str(num1) + '\n')
    outfile.write(str(num2) + '\n')
    outfile.write(str(num3) + '\n')

# Close the file.
    outfile.close()
    print('Data written to numbers.txt')

# Call the main function.
main()
```

Practice

- Write a program that writes a series of random numbers to a file. Each random number should be in the range of 1 through 100. Write at least 5 random numbers to the file – 1 number/line.
- Call your output file randomNums.txt