

Strings I

Strings are built from characters

The string "Computer" is represented internally like this:



"C"	"o"	"m"	"p"	"u"	"t"	"e"	"r"
-----	-----	-----	-----	-----	-----	-----	-----

- Each piece of a string is called a ***character***.
- A character is a special kind of string that is made up of exactly one letter, number, or symbol.

Accessing characters

Each character in a string is numbered by its position:

0	1	2	3	4	5	6	7
"c"	"o"	"m"	"p"	"u"	"t"	"e"	"r"

The numbers above the characters are called *indices* (singular: *index*) or *positions*.

Accessing characters

0	1	2	3	4	5	6	7
"C"	"o"	"m"	"p"	"u"	"t"	"e"	"r"

- There is a separate variable for each character in the string, which is the string variable followed by [] with an integer in the middle.

```
my_string = "Computer"
```

```
print(my_string[0])      # prints C
```

```
print(my_string[7])     # prints r
```

Accessing characters

0	1	2	3	4	5	6	7
"C"	"o"	"m"	"p"	"u"	"t"	"e"	"r"

- These individual variables can be used just like regular variables, **except you cannot assign to them.**

```
my_string = "Computer"
```

```
my_string[0] = "B" # illegal!
```

0	1	2	3	4	5	6	7
"C"	"o"	"m"	"p"	"u"	"t"	"e"	"r"

- You can print them, assign them to variables, pass them to functions, etc.

```
my_string = "Computer"
```

```
first = my_string[0]
```

```
third = my_string[2]
```

```
print(first, third, my_string[4])
```

0	1	2	3	4	5	6	7
"c"	"o"	"m"	"p"	"u"	"t"	"e"	"r"

```
def which_first(letter1, letter2):  
    if letter1 < letter2:  
        return letter1  
    else:  
        return letter2  
  
def main():  
    s = "Computer"  
    earlier = which_first(s[6], s[3])  
    print(earlier, "comes earlier in the alphabet.")
```

Another Example

```
name = input("What is your name? ")
initial = name[0]
print("The first initial of your name
is", initial)
```

Sample output

```
What is your name? Phil
```

```
The first initial of your name is P
```


Getting the length of a string

- Assume **s** is a string variable
- **len(s)** returns the length of **s**
- **len("Computer")** returns 8
- **len("A B C")** return ??? 5
- **len("")** returns ??? 0
- **len** uses **return**, meaning if you want to capture the length, you should save the return value in a variable.

```
length_of_string = len(string_variable)
```

Loops over strings

- Accessing characters via numbers naturally leads to using a for loop to process strings.
- Suppose we have a string variable named **s**. (You don't know what actual characters are stored in s, though.)
- What is the first numerical position in **s**?
- What is the last numerical position in **s**?

Loops over strings

- Accessing characters via numbers naturally leads to using a for loop to process strings.
- What is the first numerical position in **s**? **0**
- What is the last numerical position in **s**? **len(s)-1**

assume s is a string variable

for pos in range(0, len(s)):

do something with s[pos]

Loops over strings

- Accessing characters via numbers naturally leads to using a for loop to process strings.

```
# assume s is a string variable  
for pos in range(0, len(s)):  
    print(s[pos])
```


```
s = "banana"  
for pos in range(0, len(s)):  
    print(s[pos])
```

0	1	2	3	4	5
"b"	"a"	"n"	"a"	"n"	"a"

```
s = "banana"
```

```
for pos in range(0, len(s)):
```

```
    print(s[pos])
```



1st iteration

pos: 0

s[pos]: "b"


OUTPUT

b

```
s = "banana"
```

```
for pos in range(0, len(s)):
```

```
    print(s[pos])
```



2nd iteration

pos: 1

s[pos]: "a"

OUTPUT


b

a

```
s = "banana"
```

```
for pos in range(0, len(s)):
```

```
    print(s[pos])
```



3rd iteration


pos: 2

s[pos]: "n"

OUTPUT

b
a
n


```
s = "banana"
for pos in range(0, len(s)):
    print(s[pos])
```



4th iteration

pos: 3

s[pos]: "a"


OUTPUT

b
a
n
a

```
s = "banana"
```

```
for pos in range(0, len(s)):
```

```
    print(s[pos])
```



5th iteration


pos: 4

s[pos]: "n"

OUTPUT

b
a
n
a
n

```
s = "banana"
for pos in range(0, len(s)):
    print(s[pos])
```



6th iteration

pos: 5

s[pos]: "a"

OUTPUT

b
a
n
a
n
a

- Write a loop to print every other character in a string, starting with the first.
- Write a loop to print the letters in a string in reverse order.
- Write a loop to count the number of capital letter A's in a string.
- Write a loop to count capital or lowercase A's.
- **Challenge:** Write a loop to print the letters of a string in forward order intermixed with backward order (alternating between forward/backward).
e.g., for "abcde" you would print aebdccbdea